

X10.

b
o
o
t
h

Edition 2





ST L N E C E

BOOTH

C R O P
O T U O
M . S R B
F A T C T L
O C I . A E





X10. BOOTH

silence booth

Single Private ; 1000L x 1159W x 2200H

2 Person ; 1519L x 1159W x 2200H

4 person ; 2201L x 1559W x 2200H




a comfort & **quiet** place

Modular silent booth for privacy phone call, discussion or meeting. Quiet and comfortable space for productivity and focus at work



X10. BOOTH FEATURES




Sound Insulation Double Glass Panel and Door

53Thick clear double glass panel with air gap




Door Handle

High Quality Aluminium, Alloy Black oxidation Handle




Ventilation Access & Fan

Efficient exhaust system, less noise, clean air, smooth airflow. 16DB silence noise with air volume of 80M3, which can update the air in the chamber within 4 minutes



Light Switch

On/off switch



Recessed LED Light

LED 4000K light Source



Power Socket

Power module with usb port



Acoustic Panel

12mm Thickness. Sound Absorption. 60% Interior material is covered with acoustic material



Floor

10mm Poly Propylene Carpet in Black



Adjustable Leg

Floor Alignment



Desk

25mm Worktop. Fixed standing wall mounted desk for single booth. Fixed Free Standing Center Table for 4 Pax booth.

Seating

2 – 4 person soft seating



enhance your space with acoustic art panels.

With detachable magnetic
panel custom with your own art



Additional Features
Exterior/ Interior Acoustic Art Panel





SILENCE BOOTH SPECIFICATION

Single Silence Booth

Specification;

Dimension : 1000L x 1159W x 2200H

External Finishing: Aerospace Grade Aluminium Powder Finish Door Frame and Cavity Structure Composite Material Acoustic with Metal Sheet Powder Coating.

Internal Finishing: 12mm Acoustic Panel

Floor: Fiber Nylon Carpet 10 mm Thickness (Black Standard)

Glass Door: Frameless Hollow Glass Door With Aluminium Alloy Black Oxidation Handle

Glass: 5mm + 5mm Thickness Double Tempered Glass


Power Socket : 1 Power Outlet & 1 USB

(Type A & Type C – A.H.Meyer)

Lighting : LED 4000k LED Light Source

Ventilation Fan : UL Certificate Fan x 1

Cable Source : 1500mm Length Cable with 13A Plug (UK)



2 Person Silence Booth

Specification;

Dimension : 1519L x 1159W x 2200H

External Finishing: Aerospace Grade Aluminium Powder Finish Door Frame and Cavity Structure Composite Material Acoustic with Metal Sheet Powder Coating.

Floor: Fiber Nylon Carpet 10 mm Thickness (Black Standard)

Glass Door: Frameless Hollow Glass Door With Aluminium Alloy Black Oxidation Handle

Glass: 5mm + 5mm Thickness Double Tempered Glass


Power Socket : 1 Power Outlet & 1 USB

(Type A & Type C – A.H.Meyer)

Lighting : LED 4000k LED Light Source

Ventilation Fan : UL Certificate Fan x 1

Cable Source : 1500mm Length Cable with 13A Plug (UK)



4 Person Silence Booth

Specification;

Dimension : 2201L x 1559W x 2200H

External Finishing: Aerospace Grade Aluminium Powder Finish Door Frame and Cavity Structure Composite Material Acoustic with Metal Sheet Powder Coating.

Floor: Fiber Nylon Carpet 10 mm Thickness (Black Standard)

Glass Door: Frameless Hollow Glass Door With Aluminium Alloy Black Oxidation Handle

Glass: 5mm + 5mm Thickness Double Tempered Glass


Power Socket : 1 Power Outlet & 1 USB

(Type A & Type C – A.H.Meyer)

Lighting : LED 4000k LED Light Source

Ventilation Fan : UL Certificate Fan x 4

Cable Source : 1500mm Length Cable with 13A Plug (UK)





**office
library
class room
airport
bank
hospital
hotel
public mall
and more..**



X10. BOOTH DETAIL PHOTO






Acoustic Panel Colour Chart (Interior)



Seating



Frame Colour (Exterior)



More Finishes Upon Request

Please accept actual colors may vary. This is due to computer monitors displaying colors. We try extremely hard to ensure our photos are as life-like as possible, but please understand the actual color may vary slightly from your monitor.





Tabletop Material and finishes;


Material ;

1. Melamine Laminated Particle Board (Mfc)
2. Melamine Laminated Mdf Board (Hpl)


Standard Thickness; 25mm

*more finishes upon request

Tabletop finishes ; solid colour



WHITE · GD500



GREY · GD203



NOCE-CAPPUCINO

Tabletop finishes ; woodgrain colour



AHORN-NATUR



ZAORA-OAK



DALLAS-GD5321




CELTIC-ASH



BEECH-201



ACCENT-ASH



CHESTER-OAK



ARTISAN-WALNUT

Please accept actual colors may vary. This is due to computer monitors displaying colors. We try extremely hard to ensure our photos are as life-like as possible, but please understand the actual color may vary slightly from your monitor.



Test Report

No.SDHL2111020265FT

Date: Nov 22, 2021

Test Result:

Specification	Movable silence booth: 2200*1249*2200mm	
Test item	Noise reduction	
Test Result		
Frequency (Hz)	The noise reduction <i>NR</i> , dB	The noise reduction of the tested specimen are plotted as follows
80	2.3	
100	4.8	
125	11.2	
160	14.2	
200	16.7	
250	15.2	
315	15.4	
400	17.4	
500	19.2	
630	19.5	
800	21.4	
1000	24.6	
1250	25.8	
1600	28.3	
2000	30.4	
2500	31.3	
3150	30.9	
4000	36.0	
5000	37.2	
NIC	24	



creating
diversity of
workplaces.

Technigroup was established in 1984 and with a comprehensive range of system furniture, office seatings and hospitality products for domestic and overseas markets. Housed within its own showroom in Singapore & Malaysia are facilities for Research & Development, Showcase, Warehousing and Administration. The products manufactured by Technigroup were developed in response to needs of specific user groups in terms of pricing, function and flexibility. We constantly strive to meet new and ever-increasing demands expected of office furniture by working in consultation and collaboration with major corporate clients.

We have dynamic and capable team comprising management, design, sales, engineering and project management professionals who have proven field experience in managing multi-million dollar projects.

we emphasize our commitment to the all-important area of after-sales service. While our products feature durability and ease of maintenance, we also give due consideration to areas like product warranty, availability of replacement components, stocking and delivery programs for additional orders and facility management.



International
Organization for
Standardization



American National Standards Institute



Headquarters
Technigroup Far East Pte Ltd
Technigroup @the Mill
5 Jalan Kilang #04-03
The Mill, Singapore 159405

Malaysia
Office Suite 19-15-2
Level 15, UOA Centre
19 Jalan Pinang, 50450
Kuala Lumpur, Malaysia

Office Dealer
WURKON (Thailand)
71/15 Sukhumvit 71 Road,
Wattana,
Bangkok 10110
Thailand

Office Dealer
BWI Permata Regency D/37,
Jl. H. Kelik
RT.1/RW.6, Srengseng, Kec.
Kembangan
Kota Jakarta Barat, 11630
Indonesia

Office Dealer
TECHNIGROUP INTERNATIONAL PVT LTD
2nd Floor Property No 102/1,
Next to Volkswagen showroom ,
KR Puram - Marathahalli ring road ,
B Narayanpura ,Bengaluru - 560016,
Karnataka, INDIA

creating diversity of workplaces.

creating diversity of workplaces.



www.technigroup.com.sg