LICENSEES

SINGAPORE

TECHNIGROUP FAR EAST PTE LTD

Head Office: 30 Tuas South Street 3 Singapore 638028 Tel: 65 6897 7717

Fax: 65 6897 7727 Email: tfesing@technigroup.com.sg

Showroom: 50 Raffles Place #21-01 & 06

Singapore Land Tower Singapore 048623 Tel: 65 6536 8180 Fax: 65 6536 8185

MALAYSIA

TECHNIGROUP OFFICE FURNITURE SDN BHD

Office Suite 19-15-2, Level 15 UOA Centre, No. 19 Jalan Pinang 50450 **Kuala Lumpur** Tel: 60 3 2162 6989 Fax: 60 3 2161 6989 Email: tof_csl@tm.net.my

INDIA

TECHNIGROUP INTERNATIONAL PVT LTD

MUMBAI

No. 103 'A' Wing, Delphi Building Hiranandani Business Park Powai, Mumbai - 400076 Maharashta, India Tel: 91 22 2570 4106/07 91 22 5005 0064/171 Fax: 91 22 5005 0170

Email: technigroupasia@vsnl.com

BANGALORE

1st Floor, The Atlantic Centre, 100 ft. Road

2007, HAL, 2nd Stage, Indira Nagar Bangalore 560038 Karnataka, India

Tel: 91 80 5152 3438 Fax: 91 80 5126 7288

Email: technigroupbangalore@hathway.com

CHENNAI

Sucons Sivagami Square 1st Floor G.N. Chetty Road T. Nagar Chennai 600017 Tamil Nadu, India

INDONESIA

PT TECHNIGROUP Jakarta

www.technigroupfe.com

TECHNIGROUP

HONGKONG, CHINA

Lamex Holdings Ltd Lian Hu First Industrial District Huan Shi Zhong Road Tangxia Town Dong Guan City Guang Dong Province Tel: 86 769 772 2640 Fax: 86 769 791 2798

MELBOURNE, AUSTRALIA

Interlink Sutcliffe Pty Ltd

700 Spencer Street West Melbourne Victoria 3003 Tel: 61 3 8379 0251 Fax: 61 3 8379 0255

JORDAN, MIDDLE EAST

Jordan Wood Industries Co Ltd

P O Box 5272 Amman 11183 Jordan Muqablain Na'our Road Tel: 962 6 420 1171 Fax: 962 6 420 0672

INDONESIA


PT Indovickers

Head Office:
Jl. Cipinang Muara II/29
Jakarta Timur 13470
Tel: 62 21 862 6385
Fax: 62 21 861 6165

Showroom:

JI Barito 11/3 Jakarta 12130 Tel: 62 21 725 3490 Fax: 62 21 720 2355





Content

Manager	03
Manager + Team 90°	07
Manager + Team 120°	11
Teamwork 90°	15
Teamwork 120°	19
Teamwork Long Bench	23
Teamwork 120°	27
Hot Desking 120°	31
Hot Desking 90 °	33
Freestanding Wall	35
Reception	37
Dealing Desk	39

Introduction

X3 is about style and simplicity. A unique concept intelligently designed that is functional, easily installed and reconfigured. Aimed at Designers and Facility Manager, X3 is a furniture system that responds to needs, giving you the level of features you require now, with the option of adding on later. A system you can confidently build onto to suit changing conditions. It is designed and engineered with emphasis placed on quality, interchangeable parts and a high level of detailing.

The strategy behind the design of X3 was to bridge the vast gap between dated, monolithic panel systems and highly complex fully tiled systems. X3's panels are built up with individual tile elements which simply slide in from the top allowing you the choice of combining colours and finishes. Slide-in elements are not restricted to tiles. Cable management channels can be positioned at two height options, to suit your particular power and data needs. Since the tiles and cable channels have standard height increments, reconfiguring is simple.

X3 will provide a lasting solution


Designed by Bruce High

Manager

together with his team.

A good manager looks to establish a good balance between privacy and communication. He understands the importance of having a space which allows him to work in an efficient and effective manner both individually and area visually light and sleek.

Worktops + Storage + Panels RC Veneer Sycamore Panel Fabric YB107 Oyster Frame
Natural Anodized Aluminum Glaze Tile Clear Acrylic





Right
Subtle privacy and a contemporary look are cleverly created with veneer tile and clear acrylic tile.

BelowVeneer finish worktop with steel modesty panel adds an element of style.

Polymethyl-methacrylate.
Thermoplastic, optically transparent
with a refractive index of 1.492m.
Excellent resistance to dilute acid,
detergent, cleaners and dilute inorganic
acids.

Composite reconstituted wood veneers feature guaranteed colour and grain consistency.






Manager + Team 90°

Team members appreciate a practical space that help them organize their daily tasks. With the Team 90 degrees Workstation configuration, even a small office can be optimally utilized. This open style encourages interaction among team members.

Each member can modify their space with useful add-ons such as a flipper bin, shelves, and under table open shelf cabinet. These accessories free up precious desk space for the user. Low partition offer each member adequate privacy while keeping communication channels open.

Worktops + Storage 3995 Ivory Panel Fabric P123 Flame + P181 Dago Orange + P137 Black

Frame
Nickel Mica
Panel Laminate
Decorative Board (Silver)





TopOpen shelf keeps desk cluster-free, pin-able board tile comes in handy for notes.

Bottom
An X2 Full Height clip-on screen increases privacy.
Stylish X2 T-leg with worktop marries to the X3 panel perfectly.



Fabric is flame resistant base on — BS476 part 7 class 1.



Striped polycarbonate screen is virtually unbreakable with strength 250 times stronger than glass.



Manager + Team 120°

A functional and aesthetic solution, the Team 120degrees workstation offers a modern and roomy alternative to the cubicle lifestyle. The open office concept reduce visual weight yet each team member can still enjoy control over their space. Fabric or striped polycarbonate while providing sufficient privacy. glaze panels help soften the overall look.

Worktops + Storage 1390 Bianco Raso MPR Panel Fabric (4301) 141 Daffodil + 125 Chocolate

Frame Nickel Mica

Glaze Tile Striped Polycarbonate









Left Top

Multi-purpose hook is ideal for hanging a bag or jacket.

Left BottomUplighter provides excellent lighting.

Convenient magnetic whiteboard is great for reminders. Side table and storage cabinet keep clutter off the desk.




Often team members come together to brainstorm and discuss ideas. Easy access to each other builds rapport, encourages interaction and fosters creativity among members. This configuration allows a member to work independently or have a quick discussion using mobile end table.

allows a member to work independently or have a quick discussion using mobile end table.

X3 comes in new anodized finish for a contemporary look. Glazed tiles can go up to 1.5m yet offers a visually light solution with its clean lines. Curved worktops makes the work space more interesting visually. For table support, either a straight leg or a pedestal can be used instead of a support gable.

Worktops
White Compact Laminate
Storage
Dover White
Panel Fabric
(4301) 129 Bluebell
Frame
Natural Anodized Aluminum
Glaze Tile
White + Clear Acrylic



Curve door flipper bin with hydraulic door system reveals ample storage space and keeps file out of sight.

Right
12mm compact laminate worktop offers visual lightness. Panel can be specified without lower tiles, saving on cost and improving air circulation.

Gas-lift can last 45,000 cycles, maintenance free with very long life.



12mm thick compact laminate, waterproof, chemical resistant and no staining by 18 specified reagents.



Teamwork 90+120°

Teams that need larger workspace will appreciate the flexible solution of combining the 120degrees configurations. With multiple facilities available, everything they need is still within easy reach and they enjoy greater control over their space. Flipper bins which provide storage, also help break up a flat horizon. Shelves and keyboard trays mounted beneath the tables are perfectly out of sight when not needed. With the new support gables and clip-on laminated glass screens, this large workstation still remains visually light and pleasing to the eye.

Worktops + Storage
3995 Ivory
Panel Fabric
(4301) 142 Tangerine
Frame
Natural Anodized Aluminum
Clip-on Screen
Laminated Glass Whiteboard







Left Top

Unique clip-on glass screen with chemical etched finish doubles as a white board.


Left Centre

Ergonomically designed sliding keyboard tray. Available in black and grey colors.

Left Bottom

Convenient counter top welcomes interaction and keeps in-trays off the main desk. Support gable with perforated aluminum board offers good stability.








3mm thick plasticized aluminum compound board material is light, colourful, smooth, anti-corrosive, fire-proof, and easy to clean.



Teamwork Long Bench

For a linear set-up, the X3 long bench concept is the ideal solution. With its clean lines and basic functionality, expanding or reducing the length of this configuration can be done very quickly.

Worktops + Storage
325 Maple
Frame
Natural Anodized Aluminum
Translucent Tile
White Acrylic





Top
Translucent acrylic tiles serve as user-friendly screens as they allow light in while offering some privacy. Flip-up power sockets allow wires to be neatly concealed when the flap is closed.

BottomClamp-on accessory rail can be conveniently mounted using the X3 universal clamp.







Teamwork 120°


storage facilities such as shelves

X3 120degrees configuration. Here, members will have enough space to and reminders. X2 clip-on screen too. work on and also enjoy additional with integral accessory rails allows CD, stationary and phone holders

Team members who need greater amount of privacy and storage space will benefit greatly from this and cabinets all within reach.

Besides affording privacy, X3 panel with whiteboard tile is useful for duickly set up at the available space

Worktops 1390 Bianco Raso MPR Pedestals 2007 sandstone MPR Panel + Screen Fabric P115 O-cha + P103 Lime Frame Nickel Mica







A workstation converts instantly to a meeting area with X2 round mobile table.

Right
The 120 degrees connector forms the central pole. For each workstation, a choice of fabric tiles, fluted polycarbonate glaze tiles, or white board tiles offer great flexibility.

BelowVertical cable helps to transfer power and data cables from floor to horizontal cable channel.






Hot Desking 120°

Space-saving yet functional, hot desking has become an increasingly important feature. Non-office based staff such as sales executives and freelancers share workstations. The X3 system readily avails power and data lines through a belt line. Set up in small clusters, the on-the-go user simply chooses an available desk for the hour or day to complete their work.

Worktops 1390 Bianco Raso MPR Panel Fabric P115 O-Cha Frame
Nickel Mica
CPU Holder
Silver









Stay organized with the magnetic white board to write on.

Bottom
Perforated steel CPU holder keeps the CPU well ventilated.



Worktops
316 White Buche
Panel Fabric
P122 Mink
Frame
Natural Anodized Aluminum
Clip-on Screen
Maroon Acrylic


Hot Desking 90°

Diverse configuration for hot desking help call centers to organize staff in an effective manner. With the 90degrees workstations, power cables are routed through a vertical central channel. Workspace is kept cluster free. Curved worktops offer comfortable seating arrangement, complimented by curved coloured tiles to complete the look.





6mm thick translucent acrylic available in 3 colours.





Freestanding Wall

to construct physical walls. Its height affords involved with sensitive work.

Create more privacy with a freestanding wall panel. Easy to install, this stand-alone unit is also cost effective as there is no need more space to affix shelves and tray for storage. The freestanding wall is ideal of senior managers or for executives who are








Top
Add-ons are easy with the accessory rail. Power socket can be placed above eye level and away from desk.

Name plate or department sign can be affixed to top of striped polycarbonate screen.


Mobile table can be wheeled to face preferred direction and locked into position.



Worktops + Shelf + Storage 316 White Buche Panel Fabric 9388 Spicy Green Nickel Mica Glaze Tile Striped Polycarbonate







Worktops + Countertops + Storage 10500 Straight Pine MPR Frame Natural Anodized Aluminum Glaze Tile White Acrylic Lower Panel Tile

Perforated Aluminum Board (Metallic Black)

The first point of contact for visitors, the reception area has arisen in importance in creating a lasting impression of an organization. The X3 system allows for a seamless look throughout the office beginning with the modern design of the











Dealing Desk

When vital information needs to be readily available, the trading desk configuration is the smart solution. It can accommodate up to 6 LCD screens so you can quickly access data all in one place. With its generous cable channels

Worktops + Storage 3995 Ivory Panel Fabrics (2022) 006 Mandarin Frame Nickel Mica








Top
Cable are cleverly tucked away and routed to the power socket on the wire tray under the worktop. A trap door with hinge for easy cable access.

TopSturdy LCD arm can hold 3 LCD screens in a row or up to 6 LCD screens in total.

Bottom
Vertical cable channel can be added to carry more wires and to separate data from power cables.





BelowConvenient grip holes make wire maintenance hassle-free as desk backing can be easily removed when needed.



Cable Management

The need for connectivity and speed is essential in every office. Technological infrastructure should empower and not hinder users. With that in mind, effective cable management is necessary as it keeps cables from computers, LCD screens, telephones, facsimiles, neatly and safely tucked away. With the practical X3 system, cabling capabilities meet both function and aesthetic needs.

The patented design horizontal and vertical cable channels separate various wires into manageable combinations and away from direct human contact. The advantages of slide-in cable channel are its quick installation, safety feature, and capacity for unlimited networking and painless expansion. In addition, power sockets can be adjusted to varying heights to suit the user's needs.

X3's unique patented slide-in cable management system gives the choice of optional configurations for the cable management channels:

Skirting Position

Suitable for the corridor and cubicle types of layouts, allowing the cables to agree at any position along the width of the panels.

Belt Line Position

This will give convenient access to power and data outlets above work surface height, eliminating the awkwardness of locating available points below the workstation.







Vertical Trunkings

Can provide routing for a large volume of cables between skirting level and belt line level, as well as a cable route from the ceiling. This is particularly beneficial when used within a cluster of workstations. They can be either an integral part of a panel as shown here on the right, or as an individual vertical trunking which can be attached at the end of the a panel.

Cables can be routed up between the 2-way and 3-way connectors, accessible by removing the trim covers.

Access

With other tile systems, it is necessary to remove work tops in order to undertake re-cabling work. An advanced feature of X3, is the ability to access all the cable channels and trunking covers whilst the workstation remains intact. This reduces down time to the minimum.

X3 will also be able to feed cables down from the ceiling and into the workstation below. Access to the cables is through removable covers on both sides of the ceiling trunking.

Power and data outlets can be positioned either inside the cable channel or attached flush on the outside of the hinged cable channel covers. Plastics cable managers can be positioned to hold the cable taut and segregated.

The cover flips up and will hold itself in an open position while accessing within the cable channel.



Standard Finishes

Panel Frames





Melamine Faced Worksurfaces









3995 Ivory

316 White Buche

325 Maple*

203 Light Grey*

Membrane Pressed Worksurfaces









1390 Bianco Raso

9400 Dark Wenge

2007 Sandstone

Translucent Acrylic Tiles









FF102B Maroon

FF422.1 White


FF 355B Glass Green


Decorative Board Tiles

Aluminum Board Tiles



JM3133 Metallic Black





JM3103 Off-White

805B Silver

Finishes is displayed for reference only and will vary by printer from the actual material colour.

Before specifying a material, please refer to a physical sample or swatch for true colour and detail.

*Colour for worksurface are only available in 25mm thickness, with longer delivery lead time and higher price.

Nickel Mica Natural Anodized


X3 Basic Components




- 1. Slide-in tile
- 2. Slide-in cable channel
- 3. Vertical posts
- 4. Stack-on tile
- 5. Universal clamp set
- 6. Worktop
- 7. Support gable
- 8. Cantilever bracket
- 9. Wire vertical trunking

Module Options

Number 1,3,5 and 7 shown in tiles below refer to the heights of the tiles.



Note: Tile '7' only for lower panel (below worktops), applicable to some finishes only.




Note:

You can choose from six options within the shaded area of the panels


Tile Options

Standard width options are: 60cm, 75cm, 90cm, 105cm, 120cm & 150cm

17.7cm high tile options




35.5cm/53.2cm/71cm high tile options




Understanding the code structure of a finished panel

The code is structured starting from the floor level up to the top tile.



All product codes stated are in Nickel Mica finish.
For Natural Anodized finish, add '-NA' at the end of the code.
Example: X3-P16091E3L3F2F3G-NA



X3-W106106 L/R 105/60×105/60


X3-W126096 L/R 120/60x90/60 X3-W126126 L/R 120/60x120/60

X3-W136096 L/R 135/60x90/60 X3-W136126 L/R 135/60x120/60 X3-W136136 L/R 135/60x135/60

X3-W156096 L/R 150/60x90/60 X3-W156126 L/R 150/60x120/60 X3-W156136 L/R 150/60x135/60 X3-W156156 L/R 150/60x150/60

X3-W166096 L/R 165/60x90/60 X3-W166126 L/R 165/60x120/60 X3-W166156 L/R 165/60x150/60 X3-W166166 L/R 165/60x165/60 X3-W166186 L/R 165/60x180/60

X3-W186096 L/R 180/60x90/60 X3-W186126 L/R 180/60x120/60 X3-W186156 L/R 180/60x150/60 X3-W186166 L/R 180/60x165/60 X3-W186186 L/R 180/60x180/60



X3-W096096 90/60x90/60

X3-W157C096 L/R 150/75x90/60 X3-W157C126 L/R 150/75x120/60 X3-W157C156 L /R 150/75v150/60 X3-W157C166 L/R 150/75x165/60 X3-W157C186 L/R 150/75x180/60

X3-W167C096 L/R 165/75x90/60 X3-W167C126 L/R 165/75x120/60 X3-W167C156 L/R 165/75x150/60 X3-W167C166 L /R 165/75x165/60 X3-W167C186 L/R 165/75x180/60

X3-W187C096 L/R 180/75x90/60 X3-W187C126 L/R 180/75x120/60 X3-W187C156 L/R 180/75x150/60 X3-W187C186 L/R 180/75x180/60

X3-MA16R096 L/R 165x90/60

X3-MA18R096 L/R 180x90/60

X3-MA21R096 L/R 210x90/60

X3-MA24R096 L/R 240x90/60

X3-W157C0965RC L/R 150/75x90/65 X3-W157C1265RC L/R 150/75x120/65 X3-W157C1565RC L/R 150/75x150/65 X3-W157C1665RC L/R 150/75x165/65 X3-W157C1865RC L/R 150/75x180/65

X3-W167C0965RC L/R 165/75x90/65 X3-W167C1265RC L/R 165/75x120/65 X3-W167C1565RC L/R 165/75x150/65 X3-W167C1665RC L/R 165/75x165/65 X3-W167C1865RC L/R 165/75x180/65

X3-W187C0965RC L/R 180/75x90/65 X3-W187C1265RC L/R 180/75x120/65 X3-W187C1565RC L/R 180/75x150/65 X3-W187C1665RC L/R 180/75x165/65 X3-W187C1865RC L/R 180/75x180/65


X3-MA187096 L/R 180x90/60

X3-MA16R096ST L/R 165x90/60 X3-MA16R126ST L/R 165x120/60 X3-MA16R156ST L/R 165x150/60 X3-MA16R186ST L/R 165X180/60

X3-MA18R096ST L/R 180x90/60 X3-MA18R126ST L/R 180x120/60 X3-MA18R156ST L/R 180x150/60 X3-MA18R186ST L/R 180X180/60

X3-MA19R096ST I /R 195v90/60 X3-MA19R126ST L/R 195x120/60 X3-MA19R156ST L/R 195x150/6 X3-MA19R186ST L/R 195X180/60

X3-MA24R096ST L/R 240x90/60




X3-W15R096 L/R 150/65x90/60 X3-W15R126 L/R 150/65x120/60

X3-W16R096 L/R 165/65x90/60 X3-W16R126 L/R 165/65x120/60

X3-W18R096 L/R 180/65x90/60 X3-W18R126 L/R 180/65x120/60


Counter Tops




X3-CT0604 60x40 X3-CT0704 75x40 X3-CT0904 90x40 X3-CT1204 120x40 X3-CT1804 180x40

X3-CT0604T18 60x40 X3-CT0704T18 75x40 X3-CT0904T18 90x40 X3-CT1204T18 120x40

X3-CT1804T18 180x40




X3-CT0704C L/R 75x40 X3-CT0904C L/R 90x40 X3-CT1204C L/R 120x40 X3-CT1504C L/R 150x40



X3-CT0704CT18 L/R 75x40 X3-CT0904CT18 L/R 90x40 X3-CT1204CT18 L/R 120x40 X3-CT1504CT18 L/R 150x40

Panel Shelves



X3-PS1403 140x30 X3-PS1405 140x50




Panel Boards, Glazed, Accessory Rail

For Natural Anodized finish, add '-NA' at the end of the code.

* (F)Fabric, (L)Laminate/Melamine/Veneer, (D)Decorative Board, (TF)Tackable Fabric, (MF)Magnetic Fabric

** (GS)Glaze Striped Polycarbonate, (GC)Glaze Clear Acrylic, (GT) Glaze Tinted Translucent Acrylic, (GLS) Glass

*** (AB)Aluminum Board, (W)Whiteboard



X3-T106(*) 60x17.7H X3-T107(*) 75x17.7H X3-T109(*) 90×17.7H X3-T110(*) 105x17.7H X3-T112(*) 120x17.7H X3-T115(*) 150x17.7H

X3-T306(**) 60x35.5H

X3-T307(**) 75x35.5H

X3-T309(**) 90x35.5H

X3-T310(**) 105x35.5H

X3-T315(**) 150x35.5H

X3-T306(*) 60x35.5H X3-T307(*) 75x35.5H X3-T309(*) 90x35.5H X3-T310(*) 105x35.5H X3-T312(*) 120x35.5H X3-T315(*) 150x35.5H


X3-T506(*) 60x53.2H X3-T507(*) 75x53.2H X3-T509(*) 90x53.2H X3-T512(*) 120x53.2H X3-T515(*) 150x53.2H **X3-T710(*)** 105x71H X3-T712(*) 120x71H

cable on TF/MF X3-T706(*) 60x71H X3-T707(*) 75x71H **X3-T709(*)** 90x71H


X3-T106A(*) 60x17 7H X3-T107A(*) 75x17.7H X3-T109A(*) 90x17.7H X3-T110A(*) 105x17.7H X3-T112A(*) 120x17.7H X3-T715(*) 150x71H X3-T115A(*) 150x17.7H

Not applicable on TF/MF

X3-T307A(*) 75x35.5H X3-T309A(*) 90x35.5H X3-T310A(*) 105x35.5H X3-T312A(*) 120x35 5H X3-T315A(*) 150x35.5H



X3-T507A(*) 75x53.2H X3-T509A(*) 90x53.2H X3-T510A(*) 105x53.2H X3-T512A(*) 120x53 2H X3-T515A(*) 150x53.2H




X3-T306ABP 60x35.5H X3-T307ABP 75x35.5H X3-T309ABP 90x35.5H X3-T310ABP 105x35.5H X3-T312ABP 120x35.5H

X3-T315ABP 150x35.5H

X3-T509C(*) 60x53.2/17.7H

X3-T512C(*) 90x53.2/17.7H

X3-T506ABP 60x53.2H X3-T507ABP 75x53.2H X3-T509ABP 90x53.2H X3-T510ABP 105x53.2H X3-T512ABP 120x53.2H X3-T515ABP 150x53.2H



X3-T706ABP 60x71H X3-T707ABP 75x71H X3-T709ABP 90x71H X3-T710ARP 105y71H X3-T712ABP 120x71H X3-T715ABP 150x71H



X3-T309CW(*) 60x35.5/17.7H X3-T312CW(*) 90x35.5/17.7H



X3-P-INNERTRIM03

X3-T306(***) 60x35.5H X3-T307(***) 75x35.5H

X3-T309(***) 90x35.5H X3-T310(***) 105x35.5H X3-T312(***) 120x35.5H X3-T315(***) 150x35.5H

X3-T506(***) 60x53.2H X3-T507(***) 75x53.2H X3-T509(***) 90x53.2H X3-T510(***) 105x53.2H X3-T512(***) 120x53.2H X3-T515(***) 150x53.2H

X3-T506(**) 60x53.2H

X3-T507(**) 75x53.2H

X3-T509(**) 90x53.2H

X3-T510(**) 105x53.2H

X3-T512(**) 120x53.2H

X3-T515(**) 150x53,2H

X3-T706AB 60x71H X3-T707AB 75x71H X3-T709AB 90x71H

* Not applicable on GS/GC

X3-T706(**) 60x71H

X3-T707(**) 75x71H

X3-T709(**) 90x71H

X3-T710(**) 105x71H

X3-T712(**) 120x71H

X3-T715(**) 150x71H

X3-T710AB 105x71H X3-T712AB 120x71H X3-T715AB 150x71H

Panel Top Screens

X3-PTS306GT 60x32.7/15H X3-PTS307GT 75x32.7/15H


X3-PTS309GT 90x32.7/15H

X3-PTS310GT 105x32.7/15H

X3-PTS312GT 120x32.7/15H

Note: All product codes stated are in Nickel Mica finish. For Natural Anodized finish, add '-NA' at the end of the code.








Storages





Vertical Posts / Cable Management Channels

For Natural Anodized finish, add '-NA' at the end of the code.

X3-STFOOT400

X3-STFSET

X3-PTS306(*) 60x32.7H X3-PTS307(*) 75x32.7H


X3-PTS309(*) 90x32.7H

X3-PTS310(*) 105x32.7H

X3-PTS312(*) 120x32.7H


Note: All product codes stated are in Nickel Mica finish. For Natural Anodized finish, add '-NA' at the end of the code.

X3-KEPSP1350650



Accessories

(*) All product codes stated are in Nickel Mica finish. For Natural Anodized finish, add '-NA' at the end of the code.




X3-WTTSC506F

X3-WTTSC507F

Pedestals



Modesty Panel












All product codes stated are in Nickel Mica finish. Flipper Bin For Natural Anodized finish, add '-NA' at the end of the code.

Note: All product codes stated are in Nickel Mica finish


For Natural Anodized finish, add '-NA' at the end of the code






Open Shelf


X3-FBT3-06 60x34x40H X3-FBT3-07 75x34x40H **X3-FBT3-09** 90x34x40H X3-FBT3-10 105x34x40H X3-FBT3-12 120x34x40H Task Light




Support Gables / Legs


(*) All product codes stated are in Nickel Mica finish. For Natural Anodized finish, add '-NA' at the end of the code.






X3-SGOF07(*) 75x68H X3-SGOF09(*) 90x68H







X3-MOBSL60(*) SL-60

X3-120UFO(*)

Uplighter

X3-P-SGMC600

Note: All product codes stated are in Nickel Mica finish. For Natural Anodized finish, add '-NA' at the end of the code.




NOTE: UPLIGHT BRACKET: X3-UPL90DBKTSET 90DEGREE BRACKET SET X3-UPL120DBKTSET 120DEGREE BRACKET SET X3-UPL360DBRKTSET 360DEGREE BRACKET SET

Bracketries

X3-SGOF07-ABP(*) 75x68H X3-SGOF09-ABP(*) 90x68H


Note: All product codes stated are in Nickel Mica finish. For Natural Anodized finish, add '-NA' at the end of the code.




X2 Worksurfaces


Note: for X2 finishes, please refer to X2 brochure.







X2 Legs




X2-WED18R096SCP L/R 180x90x60 X2-WED21R096SCP L/R 210x90x60

X2-W15C096SCP L/R 150x90x60 X2-W18C096SCP L/R 180x90x60

X2-W157096SCP L/R 150x90x60 X2-W187096SCP L/R 180x90x60


X2-MA18R096SCP L/R 180x90x60 X2-MA21R096SCP L/R 210x90x60 X2-MA24R096SCP L/R 240x90x60



X2-P-FSRMW07 75DIA X2-P-FSRMW09 90DIA X2-P-FSRMW11 110DIA




X2-P-FSSQMW07 75x75 X2-P-FSSQMW09 90x90





X2-FSMCL43



X2-TLG6

X2-2FXCL

X2 Table Screens




X2-TTMS06 F 60x70.5H X2-TTMS07 F 75x70.5H X2-TTMS09 F 90x70.5H X2-TTMS10 F 105x70.5H X2-TTMS12 F 120x70.5H X2-TTMS15 F 150x70.5H

X2-TTMS18 F 180x70.5H




X2-TTMAS06 F 60x70.5H X2-TTMAS07 F 75x70.5H X2-TTMAS09 F 90x70.5H X2-TTMAS10 F 105x70.5H X2-TTMAS12 F 120x70.5H **X2-TTMAS15** F 150x70.5H X2-TTMAS18 F 180x70.5H




X2-FSCL43

X2-TTMGS06 F 60x70.5H X2-TTMGS07 F 75x70.5H X2-TTMGS09 F 90x70.5H X2-TTMGS10 F 105x70.5H X2-TTMGS12 F 120x70.5H **X2-TTMGS15 F** 150x70.5H X2-TTMGS18 F 180x70.5H




X2-TTMFGS06 60x70.5H X2-TTMFGS07 75x70.5H X2-TTMFGS09 90x70.5H X2-TTMFGS10 105x70.5H X2-TTMFGS12 120x70.5H X2-TTMFGS18 180x70.5H



X2-TTPMMSRC06 60x70.5H X2-TTPMMSRC07 75x70.5H X2-TTPMMSRC09 90x70.5H X2-TTPMMSRC10 105x70.5H X2-TTPMMSRC12 120x70.5H X2-TTPMMSRC15 150x70.5H X2-TTPMMSRC18 180x70.5H

X2 Modesty Panels




X2-TTFMS06F 60x110H X2-TTFMS07F 75x110H X2-TTFMS09F 90x110H X2-TTFMS10F 105x110H X2-TTFMS12F 120x110H X2-TTFMS18F 180x110H



X2-TTFMAS06F 60x110H X2-TTFMAS07F 75x110H X2-TTFMAS09F 90x110H X2-TTFMAS10F 105x110H X2-TTFMAS12F 120x110H X2-TTFMAS15F 150x110H X2-TTFMAS18F 180x110H



X2-TTFMGS06F 60x110H X2-TTFMGS07F 75x110H X2-TTFMGS09F 90x110H X2-TTFMGS10F 105x110H X2-TTFMGS12F 120x110H X2-TTFMGS15F 150x110H **X2-TTFMGS18F** 180x110H



X2 Mobile Pedestal



X2-MP 612 50x41.8x58H

Technical Specifications

Melamine Faced Top, 30mm thick European E1 grade melamine faced particle board with impact resistant 2mm PVC edging.

Finishes are scratch and abrasion resistant with a minimum density of 620 kg/mc plus or minus 5%.

Membrane Pressed Top, 25mm thick European E2 grade medium density fibreboard with multiple radius edging. Finishes are in 0.4mm thick thermofoil sheet resistant to light, staining, shock and scratch as per BS6250 requirement.

Compact Laminate Top, 12mm thick High Pressure Laminate with 28N impact resistant.

Finishes are waterproof, chemical resistant and no staining by 18 specified reagents as per International Standard ISO 4586-2.

A choice of ergonomically contoured or straight worksurfaces are available.

Tiles are in 20mm thick European E1 grade particle board.

Fabric Tiles are covered with fire resistance fabric, according to BS476 part 7 class 1 standard.

Glazing Tiles have an aluminum frame grade 6063 T5 2mm thick with a horizontal striped translucent shatterproof polycarbonate panel.

Aluminum Board Tiles are in 6mm thick plasticized aluminum compound board with an aluminum frame grade 6063 T5 2mm thick. Finishes are light weight, smooth, soundproof, fireproof, easy to clean, and corrosion resistant.

Metallic black and off-white as standard colour with choices of perforated or non-perforated tile.

Glass are either tempered or laminated for your safety.

Whiteboard, the writing surfaces are traditional white enamel on steel type.

A translucent white laminated glass version (6.38mm) is also available.

Vertical Posts are aluminum extruded, made from alloy grade 6063 with a tensile 5 level of hardening. A uniformed thickness of 2mm is used on all structural elements. Surfaces are treated with a corrosion resistant anodizing layer of 10 microns or powder coated to a thickness of no less than 50 microns for increased durability, scratch and chemical resistance.

Height Adjustable die cast **clamping brackets** made from zinc alloy No. 3 are used for attaching all worksurface brackets together with **flipper bins and shelves**.

The worksurface brackets are made from 2.5mm thick cold rolled steel.

Plastic components are manufactured from nylon, POM and ABS for strength and durability.

Stack-on vertical post options can be used to increase the height of a panel by 35.5cm, e.g. 128cm high panel can have additional tile to make a 164cm height of panel. A central slide-in bracket is used to secure the stack-on vertical post.

Flipper bins are made from sheet steel 1mm and 1.5mm thick, welded together and includes an integral back panel. Flipper bin mechanism are hydraulically operated by two gas action springs. Pivoting brackets are mounted onto the curved door allowing the door to flip up and over the top. Task lights can also be fitted to all sizes. Shelves are 1mm thick steel with profiled front edges and 2.5mm thick end brackets. All steel components are manufactured in cold rolled steel.

Cable Management Channels provide large capacity wiring in optional height positions as well as vertical cable options. Cables can be accessed even after worksurfaces are in place. Two steel tubes provide the main structural beam between each end of the cable channel. They are rolled from 1.2mm thick steel and finished in powder coating. Adjustable plastic cable managers segregate the cable between the channel holding them neatly in position. Power and data outlets can be positioned either flush mounted on the outside of the cover or internally, using special quick to install plastic clip fixing brackets.

Pedestal are made from 18mm thick melamine faced chipboard constructed with both dowel and KD fittings. The A4/Foolscap filing drawers have full extension ball bearing slides while the shallow drawers have roller runner slides. Mobile Pedestals have an anti-tilt caster and all pedestals and flipper bins have quality German locks with removable inner cylinders and are master keyed up to 2000 different combinations.

Uplighting, the Luminaries have OSRAM ballasts rated 220V, powering twin OSRAM compact Fluorescent lamps or 55watts/4800 Lumen each.

X3

Version 2

Specification subject to change without notice.

Global Patent No.
International Patent Application PCT/SG00/00119

Australia 2000 268874 Canada 2,354,760

Great Britain GB 03 02 746.3 India 133/KOL NP/2003
Indonesia W-002003 00563 Ireland 2001/0762 [82811]
Philippines 1-2001-2007 Singapore 200302400-7

Taiwan No. 90124075 Thailand 067560 U A E 206/2001
United States 09/931,133[6,475,525]

All rights reserved.

Clientele

SINGAPORE

Ace Asia Insurance BD Asia Pacific Biopolis One-North (Block 5) BNP Paribas Private Bank **British Telecoms** CET Technologies Pte Ltd Civil Aviation Authority of Singapore Dell Asia Pacific Dell Computers Deloitte & Touche Development Bank of Singapore DHL International Fairchild Semi-Conductor Imperial Tobacco International Ltd Infocommunication Development Authority of Singapore (IDA) JOS Technology (S) Pte Ltd Keppel Corporation Kraft Food International Lexmark International (S) Pte Ltd Ministry of Defense Nokia Singapore Novartis Institute OCBC Bank Philips Electronics Singapore Pte Ltd Phillip Securities Pte Ltd Singapore Land Authority Singapore Health Services Singapore Workforce Dev. Agency Veritas Software Visa International Volvo East Asia Pte Ltd

MALAYSIA

Agilent Technologies (Malaysia) Sdn Bhd
Affin Merchant Bank Berhad
Aviva Insurance Bhd
Danzas AEI (M) Sdn Bhd
Fujitsu (Malaysia) Sdn Bhd
Infineon Technologies (M) Sdn Bhd
Insinger Brumby Trust (Labuan) Sdn Bhd
Murphy Sarawak Oil Company Ltd
Marsh Insurance Broker (M) Sdn Bhd
National Panasonic (M) Sdn Bhd
OCBC Bank Bhd
Schlumberger Berhad
Subur Tiasa Holdings Bhd
Telekom Malaysia Berhad
Zelan Construction Sdn Bhd

INDIA

Abbot
ABN Amro
Amdocs
Bayer
Centurion Bank
Deloitte Consulting
Development Bank of Singapore, India
Mellon Bank
Monster.Com
NCR
HP
HSBC
UDHE India
Tata-AIG

CHINA

ABB Xiamen
Bank of China
Beijing Airport
British Petroleum Guangzhou
Citibank, Shanghai
Dupont, Shanghai
General Electric, Shanghai
Hitachi, Guangzhou
IBM, Guangzhou
KPMG, Shanghai
Philips, Xiamen
Singapore Embassy in Beijing

HONGKONG

BASF
Bovis Lend Lease
British Telecom
King Power Group
McGraw Hill
UL International

AUSTRALIA

ACI Interior
American International Pty Ltd.
ANZ Bank 'Global Cards'
Bentley
Morgan and Banks
National Australia Bank
ULA

OTHERS

Bechtel International Jordan
Pepsi Cola, Jordan
Royal Jordania Airlines, Jordan.
Bank Al Jazeerah, Saudi Arabia
Saudi Arabia Telecom, Saudi Arabia
HRC, Bangladesh
General Electric, Vietnam.